



Certificate number: 2303776 (1)

Issued 30/03/2023
Expires 30/03/2028

Kiwa Regulation 4 (KUKreg4) Certification

Evaluation Guideline – Kiwa UK – EG004 – Regulation 4(1)(a)
Model number(s) – see Appendix

Dutypoint Ltd.

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied upon to comply with the Kiwa Evaluation Guideline referred above.

Which verifies the requirements of:

Regulation 4(1)a of the Water Supply (Water Fittings) Regulations 1999 England & Wales: 2009 Northern Ireland and 2014 Byelaws Scotland.

This certificate has been issued in accordance with the Kiwa regulations for product certification.

Signed on behalf of Kiwa Watertec

David Jay, Business Unit Manager – Authorised Signatory
Kiwa Watertec

Publication of this certificate is allowed.

Products are intended to be used in the UK only. For other countries, other (National) requirements will apply.

See <https://www.kiwa.com/gb/en/about-kiwa/water-products/> or the QR code below to ensure that the certificate is still valid.

CERTIFICATE

Kiwa Watertec
(A Trading Division of Kiwa Ltd)
26A Rassau Industrial Estate
Ebbw Vale
Gwent
NP23 5SD
United Kingdom
T +44 (0)1495 308185
uk.water@kiwa.com
www.kiwa.co.uk

Certificate Issued to:
Dutypoint Ltd
2 Olympus Park Quedgeley
Gloucester
GL2 4DH



KUKreg4

Product Certificate

Appendix to Certificate number: 2303776

The following products belong to this certificate

<p>PRODUCT DESCRIPTION Dutypoint 'VT' range of cold water supply booster sets, incorporating 2 to 4 pumps with a modular stainless steel manifold system. The booster sets also incorporate spherical valves, back cycling valves, pressure switches/sensors and expansion vessels. ATS3 – Without Production Surveillance.</p>
<p>MODEL(S) VT2-05-xxxx VT2-10-xxxx VT2-15-xxxx VT2-20-xxxx VT3-05-xxxx VT4-05-xxxx VT3-10-xxxx VT3-15-xxxx VT3-20-xxxx VT4-10-xxxx VT4-15-xxxx VT4-20-xxxx Example of Model Number: VT2-05-015T NOTE. xxxx on end of model codes above denotes all motor size and type. Range: VT Number of Pumps:2 Nominal Flow rate (m³/hr)05 Motor kw (without decimal)15 (1.5kw) Voltage (T=400/3/50 M=230/1/50) T *Where 16Bar pressure is required, the only component changed is the pressure vessel.</p>
<p>SIZE: DN50 to DN150.</p>
<p>SCOPE: Manufacturer recommended maximum working pressure 10 Bar & 16 bar** & maximum operating temperature: Cold water use only. **Where 16 Bar pressure is required, the only component changed is the pressure vessel. Hygienic Purposes: Non-metallic materials suitable for continuous use with cold water only. Above ground use only.</p>
<p>MARKING Manufacturer (Dutypoint) model no, serial no, website and other technical information.</p>
<p>MATERIALS Non-metallic materials assessed (BS6920) to point of discharge.</p>
<p>BACKFLOW PROTECTION NOTES N/A.</p>
<p>ADDITIONAL NOTES All water contact & exposed components satisfy opacity requirements.</p>

Extra Notes