

# PROTECTORISE COLD-WATER ACCESSORY



# **ProtectoRiSE**











# **Specification**

## Surge relief valve

The ProtectoRiSE is a highly recommended system component that is fitted at the top of the riser to prevent airlocks and sudden pressure changes due to power surges and other causes.

This triple-function, double-orifice air valve efficiently releases air to prevent pressure build-up and allows the ingress of air to prevent vacuum in the pipework. The ProtectoRiSE also provides a controlled bleed of air to maintain system stability.

### STANDARD TECHNICAL FEATURES

- Patented small orifice configuration
- Lightweight, compact single-chamber design
- Directly acting solid cylindrical float
- Excellent flow capacity
- WRAS approved
- PN25 rated
- Drain valve
- Corrosion-resistant construction
- Tapped cowl
- Surge alleviation mechanism
- Insect mesh

### **OPTIONS**

- Isolating valve
- PN40 rating

### **RANGE PERFORMANCE**

Standard	BS EN 17-4:2000
Connection size	1" BSP
Maximum working pressure	25 bar (40 bar available on request)
Minimum working pressure	0.3 bar
Hydrostatic pressure tests	Seal: 1.1 × PN Body: 1.5 × PN
Temperature range	Up to a maximum of 60°C
Coating	Fusion-bonded epoxy

### **MATERIAL SPECIFICATION**

THAT ENGAL OF EACH FOR THE CONTROL OF THE CONTROL O	
Body	Ductile iron
Size	113 mm (W) x 205 mm (H)
Drain valve	Nickel-plated brass
Diffuser plate	Stainless steel
Lower float	Polypropylene
Small orifice seal	Stainless steel/EPDM
Upper float	Polypropylene
Large orifice seal	EPDM
O-ring	EPDM
Seat holder	Stainless steel
Cowl	Ductile iron
Fasteners	Stainless steel

# **ProtectoRiSE**


### AIR VALVE SELECTION

Range of application of the air valve as a function of pipeline internal diameter and fluid flow velocity expressed in m/s.



### AIRFLOW PERFORMANCE

Air entrance during pipe draining.





To discuss our full range of accessories, call us now on 01452 300110 or email enquiries@dutypoint.com



# Let's talk about the ProtectoRiSE

01452 300110 ENQUIRIES@DUTYPOINT.COM DUTYPOINT.COM