VMV RANGE

PRODUCT DATA SHEET


VMV3-15-5H185L02

Product Description

The WRAS approved VMV is a versatile, high-performance cold water booster set constructed using premium components and a strict adherence to quality standards. Specifiers can tailor a booster set to the precise project requirements. The VMV can be delivered disassembled for on-site assembly if required.

- All products in the VMV Cold Water Pressure Booster range are fully WRAS approved.
- Variable speed pumps
- HIRISE technology which protects the building's pipework by ensuring the pumps start slowly during the initial fill process to prevent surge and consquent damage to the riser.
- Intelligent motor control
- Cyclic duty changeover which ensures even wear across all pumps in the system.
- Common alarm volt-free contract
- Hours run recorders
- Pressure set point adjustment
- Local electrical isolation and MCB protection.
- Integral anti-vibration mountings
- TrueStandby[™] ensures that every key component in the pressure booster has a back-up to keep the system operational in the rare occurrence of a component failure.

Performance per pump Inverter Controlled







Suction connection	DN 150		
Delivery connection	DN 150		
Max operating flow	16.7 l/s		
Max operating pressure	12.3 bar		
Closed Valve pressure	13.2 bar		
Maximum system pressure Rating	16 bar		
Speed	Variable		
Speed IP Rating	Variable IP55		
IP Rating	IP55		
IP Rating Motor Power	IP55 18.5 kW		

Specification



www.dutypoint.com

Electrical Data


Electrical phase	3 ⊕
Operating speed range	30 - 50Hz
Supply Voltage	400 V
Full load current, per pump	33.7 A
Total Full load current	101.1 A

VMV model Codes

VMV3-15-5H185L02

Number of pumps Nominal flow (l/s) Frequency (50/60 Hz		<u> </u>				
Inverter Type		· — — ·	I	i 	ļ	ļ
Motor Power Pump Incremental n	umbei	r] 	j

Technical Drawing



S

VKA

Drawing dimensions

Dimension A	1678
Dimension B	1595
Dimension C	540
Dimension D	621

Dimension E	672
Dimension F	515
Dimension G	240

Document #: Revision:

DOC-11118

2







Specifications and illustrations are subject to revision without notice. Dutypoint Ltd is not liable for any incompleteness or inaccuracies.