# **VMV RANGE**


## VMV4-10-5V075L03

#### **Product Description**

The WRAS approved VMV is a versatile, high-performance cold water booster set constructed using premium components and a strict adherence to quality standards. Specifiers can tailor a booster set to the precise project requirements. The VMV can be delivered disassembled for on-site assembly if required.

- All products in the VMV Cold Water Pressure Booster range are fully WRAS approved.
- Variable speed pumps
- HIRISE technology which protects the building's pipework by ensuring the pumps start slowly during the initial fill process to prevent surge and consquent damage to the riser.
- Intelligent motor control
- Cyclic duty changeover which ensures even wear across all pumps in the system.
- Common alarm volt-free contract
- Hours run recorders
- Pressure set point adjustment
- Local electrical isolation and MCB protection.
- Integral anti-vibration mountings
- TrueStandby<sup>TM</sup> ensures that every key component in the pressure booster has a back-up to keep the system operational in the rare occurrence of a component failure.

#### Performance per pump Inverter Controlled







Suction connection	DN 150		
Delivery connection	DN 150		
Max operating flow	11.1 l/s		
Max operating pressure	7.7 bar		
Closed Valve pressure	8.0 bar		
Maximum system pressure Rating	16 bar		
Speed	Variable		
IP Rating	IP55		
Motor Power	7.5 kW		
	1120 kg		
Weight	1120 kg		
Weight Pressure Vessel(s)	1120 kg 105 litres		

Specification



#### www.dutypoint.com

#### **Electrical Data**


Electrical phase	<b>3</b> ⊕
Operating speed range	30 - 50Hz
Supply Voltage	400 V
Full load current, per pump	14.3 A
Total Full load current	57.2 A

### VMV model Codes

## VMV4-10-5V075L03

Number of pumps	j	į	į	į	i	į
Nominal flow (l/s)			į	ļ	i.	ļ
Frequency (50/60 Hz)				I		
Inverter Type					ľ	ļ
Motor Power					j	į
Pump Incremental nu	mbei	·				<u> </u>

### **Technical Drawing**



#### **Drawing dimensions**

Dimension A	1417
Dimension B	2110
Dimension C	540
Dimension D	575

Dimension E	623
Dimension F	515
Dimension G	205

Document #: Revision:

DOC-11134

2







Specifications and illustrations are subject to revision without notice. Dutypoint Ltd is not liable for any incompleteness or inaccuracies.