



Certificate number: 2011741 (2)

Issued 03/11/2025

Expires 10/05/2026

Kiwa Regulation 4 (KUKreg4) Certification

Evaluation Guideline – Kiwa UK – EG004 – Regulation 4(1)(a)

Model number(s) – see Appendix

Dutypoint Ltd.

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied upon to comply with the Kiwa Evaluation Guideline referred above.

Which verifies the requirements of:

Regulation 4(1)a of the Water Supply (Water Fittings) Regulations 1999 England & Wales: 2009 Northern Ireland and 2014 Byelaws Scotland.

This certificate has been issued in accordance with the Kiwa regulations for product certification.

Signed on behalf of Kiwa Watertec

David Jay, Business Unit Manager – Authorised Signatory
Kiwa Watertec

Publication of this certificate is allowed.

Products are intended to be used in the UK only. For other countries, other (National) requirements will apply.

See <https://www.kiwa.com/gb/en/about-kiwa/water-products/> or the QR code below to ensure that the certificate is still valid.

Certificate Issued to:

Kiwa Watertec
(A Trading Division of Kiwa Ltd)
26A Rassau Industrial Estate
Ebbw Vale
Gwent
NP23 5SD
United Kingdom
T +44 (0)1495 308185
uk.water@kiwa.com
www.kiwa.co.uk



KUKreg4

Product Certificate

Appendix to Certificate number: 2011741

The following products belong to this certificate

<p>PRODUCT DESCRIPTION Range of modular variable speed cold water pumped booster sets, incorporating a stainless-steel manifold system and either 2, 3, 4, 6 or 8 pumps depending on model. The booster sets also incorporate spherical valves, non-return valves pressure switches/sensors and expansion vessels. The control panel incorporates various electronic controls including inverters, touch screen control panel and BMS interface. ATS3 – Without Production Surveillance.</p>
<p>MODEL(S) Product range prefix – VS: Number of pump - : 2, 3, 4, 6, 8 (6 and 8 pump variants will be 2 x 3 pump unit or 2 x 4 pump units coupled together); Pump model - 3040, 3060, 3080, 3100, 5040, 5060, 5080, 5100, 9040, 9060, 9070, 9090; Motor kW size (multiplied by 10) 005, 007, 011, 015, 022, 030; Power supply type M (single phase) or T (three phase); Models code example - VS 4 9090 030 T.</p>
<p>SIZE: DN80.</p>
<p>SCOPE: Manufacturer recommended maximum working pressure 10 Bar & maximum operating temperature: cold water use only. Hygienic purposes: Non-metallic materials suitable for continuous use with cold water only. Above ground use only.</p>
<p>MARKING Dutypoint logo, model no, serial no, company address and other technical information on control panel.</p>
<p>MATERIALS Non-Metallic materials assessed (BS6920) to point of discharge.</p>
<p>BACKFLOW PROTECTION NOTES N/A.</p>
<p>ADDITIONAL NOTES Opacity. All water contact & exposed components satisfy opacity requirements.</p> <p>Notification should be given in writing of the proposed installation of this fitting to the local Water Supplier prior to its installation. The fitting shall not be installed until consent is given by the Water Supplier in line with Regulation 5 of the Water Supply (Water Fittings) Regulations 1999 or the Water Supply (Water Fittings) Regulations (Northern Ireland) 2009, or Byelaw 5 of the Water Supply (Water Fittings) (Scotland) Byelaws 2014.</p>

Extra Notes